

WOODSHAQ STUDIO

Bespoke Hardwood Floors

Our product range includes Solid Oak,
Engineered Oak, Walnut and Luxury Vinyl Tiles

WOODSHAQ STUDIO

Welcome to Woodshaq Studio, supplying bespoke hardwood flooring. A wood floor in your home adds style and luxury, making it inviting and comfortable. Oak is probably amongst the most tough and durable floor finishes. Its ability to keep its appearance under the arduous wear conditions makes it a must for most rooms in the home. Our range of oak is available in a vast range of sizes grades and limitless shades and colours. It can be used in the home, pubs, offices, shops, in fact any place that requires luxury.

Bespoke and Unique Wood Finishing

Enables you to colour match our range of hardwood floors to your doors and interior fittings: Staircases, Skirtings, Trims, Joinery, Cabinets, Headboards, kitchen joinery.

Woodshaq Studio understand that aesthetics are important to all projects; so using our specialist techniques for texturing and applying fuming agents and oils, we can create a diverse range of tones and colours of any description whether we are matching a specific colour, or custom designing an individual tone.

Engineered wood flooring is specially designed to maximise strength and durability. Once installed, this results in a floor which has the appearance, sturdiness and longevity of a solid wood floor, yet has improved support from beneath, providing greater stability.



Oak Millrun Dune - 14 mm

TABLE OF CONTENTS

Masters Choice 14mm 3-layer Engineered Flooring	3
Masters Choice 20mm MultiPly Engineered Flooring	5
Wild River & Old Terrain Collections	7
San Marino Collection	9
Magnum MTS Engineered Flooring	11
UK Prefinishing & Bespoke Colour Service	13
NYC	17
Vinyl Plank Flooring (LVT)	19
Luxury Vinyl Click Planks	21
150 Oak	23
190 Oak	24
Black Walnut Flooring	25



European Oak 2Aire

Masters Choice 14mm 3-layer Engineered Flooring




14x189mm Oak Millrun 10% Varnish


- Ideal for homes and apartments.
- 14mm 3 Layer Construction for Stability.
- Suitable for underfloor heating - Subject to correct fitting and Running Procedures being followed.
- Prefinished with UV Oil or UV Lacquer ; or unfinished to Finish in colour of your choice on site.

Product Range


Product Code	Description	Bevel	Joint	Pack Size
723170035L	1 Strip 3mm x 14x148x1860mm Oak Millrun 10% Varnish	2 V	T+G	2.2 m ²
723170036L	1 Strip 3mm x 14x148x1860mm Oak Millrun Brushed+UV Oiled	2 V	T+G	2.2 m ²
723120080L	1 Strip 3mm x 14x189x1860mm Oak Millrun Unfinished	2 V	T+G	2.81 m ²
723170041L	1 Strip 3mm x 14x189x1860mm Oak Millrun 10% Varnish	2 V	T+G	2.81 m ²
723170038L	1 Strip 3mm x 14x189x1860mm Oak Millrun Brushed+UV Oiled	2 V	T+G	2.81 m ²
723170037L	1 Strip 3mm x 14x189x1860mm Oak Millrun Brushed+WOCA UV Oiled, White (Dune)	2 V	T+G	2.81 m ²
723132000L	1 Strip 3mm x 14x189x1860mm Oak AB Unfinished	2 V	T+G	2.81 m ²
723170050L	1 Strip 3mm x 14x189x1860mm Oak AB 10% Varnish	2 V	T+G	2.81 m ²
723180000L	1 Strip 3mm x 14x189x1860mm Oak AB UV Oiled	2 V	T+G	2.81 m ²
714090020L	1 Strip 3mm x 14x240x1900mm Oak Millrun Unfinished	2 V	T+G	2.736 m ²
714090010L	1 Strip 3mm x 14x300x1900mm Oak Millrun Unfinished	2 V	T+G	3.42 m ²




14/3x148mm Oak Millrun 10% Varnish
723170035L




14/3x148mm Oak Millrun Brushed+UV Oiled
723170036L




14/3x189mm Oak Millrun Unfinished
723120080L




14/3x189mm Oak Millrun 10% Varnish
723170041L




14/3x189mm Oak Millrun Brushed+UV Oiled
723170038L




14x189m Oak Millrun, Dune
723170037L




14/3x189mm Oak AB Unfinished
723132000L




14/3x189mm Oak AB 10% Varnish
723170050L



14/3x189mm Oak AB UV Oiled
723180000L



14/3x240mm Oak Millrun Unfinished
714090020L



14/3x300mm Oak Millrun Unfinished
714090010L

Masters Choice 20mm MultiPly Engineered Flooring



Oak Millrun 723170036L Office

- For homes and Apartments.
- For Commercial use such as shops ,Offices ,Restaurants and Hotels. Subject to correct choice of finish depending on traffic.
- Suitable for Underfloor Heating- Subject to correct fitting and Running Procedures being followed.
- 20mm- MultiPLY Construction. Structural thickness.
- Thick Top Layer can be re-sanded many times in years to come.
- Suitable for underfloor heating - Subject to correct fitting and Running Procedures being followed.

Product Range

Product Code	Description	Bevel	Joint	Pack Size
723010050L	1 Strip 4mm x 20x189x1860mm Oak AB Unfinished	2 V	T+G	1.406 m ²
723180114L	1 Strip 6mm x 20x190x1900mm Euro Oak ABCD Unfinished	2 V	T+G	1.444 m ²
723180222L	1 Strip 6mm x 20x190x1900mm Euro Oak ABCD UV lacquered	2 V	T+G	1.444 m ²
723180227L	1 Strip 6mm x 20x190x1900mm Euro Oak ABCD UV Oiled	2 V	T+G	1.444 m ²
723180232L	1 Strip 6mm x 20x190x1900mm Euro Oak ABCD Brushed and UV Oiled	2 V	T+G	1.444 m ²
723180050L	1 Strip 6mm x 20x220x2200mm European White Oak ABCD Unfinished	2 V	T+G	1.936 m ²
723180400L	1 Strip 6mm x 20x220x2200mm European White Oak ABCD UV Oiled	2 V	T+G	1.936 m ²
723030007L	1 Strip 6mm x 20x240x2200mm Euro Oak ABCD Unfinished	2 V	T+G	2.112 m ²



20/4x189mm Oak AB Unfinished
723010050L



20/6x190mm Oak ABCD Brushed+UV Oiled
723180232L




20/6x190mm Oak ABCD UV Oiled
723180227L



20/6x190mm Oak ABCD UV Lacquered
723180222L



20/6x190mm Oak ABCD Unfinished
723180114L



20/6x240mm Oak ABCD Unfinished
723030007L



20/6x220mm Oak ABCD Unfinished
723180050L



20/6x220mm Oak ABCD UV Oiled
723180400L

Wild River & Old Terrain Collections



Old Terrain – Montebello

- Old Terrain and Wild River Ranges have an attractive aged Oak look in a Character Grade. With textured and or Brushed surface.
- Wild River collection has also been sand blasted to give a super grainy surface and finished in 4 new colours - Finished in UV Oil - Available Unfinished to allow for special application of bespoke colours or on site in the UK.
- 3 layer Construction for stability.
- Suitable for Underfloor Heating- Subject to correct fitting and Running Procedures being followed.

Product Range

Product Code	Description	Bevel	Joint	Pack Size
723181000L	1 Strip 3mm x 14x190x1900mm European Oak – Wild River – Mekong	2 V	T+G	2.88 m ²
723181050L	1 Strip 3mm x 14x190x1900mm European Oak – Wild River – Zaire	2 V	T+G	2.88 m ²
723181100L	1 Strip 3mm x 14x190x1900mm European Oak – Wild River – Yenisey	2 V	T+G	2.88 m ²
723181150L	1 Strip 3mm x 14x190x1900mm European Oak – Wild River – Lena	2 V	T+G	2.88 m ²
723170006L	1 Strip 4mm x 15x189x1860mm Oak – Old Terrain – New Rocky Mountain	2 V	T+G	2.81 m ²
723170008L	1 Strip 4mm x 15x189x1860mm Oak – Old Terrain – Montebello	2 V	T+G	2.81 m ²
723170011L	1 Strip 4mm x 15x189x1860mm Oak – Old Terrain – Mont Blanc	2 V	T+G	2.81 m ²



14/3x189mm European Oak - Mekong
723181000L



14/3x189mm European Oak - Zaire
723181050L




14/3x189mm European Oak - Yenisey
723181100L




14/3x189mm European Oak - Lena
723181150L



15/4x189mm New Rocky Mountain Oak
723170006L



15/4x189mm Montebello Oak
723170008L



15/4x189mm Mont Blanc Oak
723170011L

San Marino Collection



San Marino Earth 714400015L Lounge

- The San Marino Range is 3 layer construction for Stability
- Lightly Brushed and Finished in an attractive Range of Contemporary colours.
- Very Popular on the London Apartment Scene
- Character Grade finished in contemporary Shades of Grey.
- Suitable for Underfloor Heating- Subject to correct fitting and Running Procedures being followed.

Product Range

Product Code	Description	Bevel	Joint	Pack Size
714400000L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Sand	4 V	T+G	2.82 m ²
714400005L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Stone	4 V	T+G	2.82 m ²
714400010L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Slate	4 V	T+G	2.82 m ²
714400015L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Earth	4 V	T+G	2.82 m ²
714400020L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Clay	4 V	T+G	2.82 m ²
714400025L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Tan	4 V	T+G	2.82 m ²
714400100L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Granite	4 V	T+G	2.82 m ²
723170047L	1 Strip 3 mm x 14x189x1860mm Oak ABCD San Marino - Marble	2 V	T+G	2.81 m ²

Hardwood floors can last for generations, so they don't need to be replaced as often as other flooring options. They're non-allergenic, great news for homeowners with allergies or pets. Hardwood also offers the environmental benefit of being the most abundantly renewable flooring material available. Hardwood flooring increases the value of your home and increases its appeal when it comes time to sell.



14/3x189mm San Marino - Sand
714400000L



14/3x189mm San Marino - Stone
714400005L



14/3x189mm San Marino - Slate
714400010L



14/3x189mm San Marino - Earth
714400015L




14/3x189mm San Marino - Clay
714400020L



14/3x189mm San Marino - Tan
714400025L




14/3x189mm San Marino - Granite
714400100L



14/3x189mm San Marino - Marble
723170047L

Magnum MTS Engineered Flooring



Oak Dolomite Moderato Oiled

UNICLIC® MULTIFIT – A REVOLUTIONARY SYSTEM IN LAYING MULTILAYER PARQUET:

- European Manufactured in Czech Republic
- 25 more Products available Ex Factory to order.
- Finished in Either 2 coats of Natural oil or Magshield 7 coats of UV lacquer
- You can install your floor up to 30% faster compared to other, traditional installation systems
- Level differences are minimized, thanks to the perfect locking between tongue and groove
- Both floating and glued down installation are possible
- It's easy to remove the planks and re-install them
- A Magnum floor makes laying easy, even in the tightest corners or under doors.
- Suitable for Underfloor Heating- Subject to correct fitting and Running Procedures being followed.

Product Range

Product Code	Description	Bevel	Joint	Pack Size
723165025L	1 Strip 2.5mm 12.5x145x1820mm Oak Natural Vario Magshield Lacquer	2 V	Uniclic	1.583 m ²
723165000L	1 Strip 3mm 14x190x1820mm Oak Agate Estremo Oiled	2 V	Uniclic	2.075 m ²
723165005L	1 Strip 3mm 14x190x1820mm Oak Granite Rustico Magshield Lacquer	2 V	Uniclic	2.075 m ²
723165010L	1 Strip 3mm 14x190x1820mm Oak Sandstone Rustico Magshield Lacquer	2 V	Uniclic	2.075 m ²
723165015L	1 Strip 3mm 14x190x1820mm Oak Moonstone Estremo Oiled	4 V	Uniclic	2.075 m ²
723165020L	1 Strip 3mm 14x190x1820mm Oak Dolomite Moderato Oiled	4 V	Uniclic	2.075 m ²



12.5/2.5x145mm Oak Natural Vario
723165025L




14/3x190mm Oak Agate Estremo
723165000L




14/3x190mm Oak Granite Rustico
723165005L



14/3x190mm Oak Sandstone Rustico
723165010L



14/3x190mm Oak Moonstone Estremo
723165015L



14/3x190mm Oak Dolomite Moderato
723165020L



Magnum Oak Agate Estremo

UK Prefinishing & Bespoke Colour Service




- Woodshaq offer a large range of UK Prefinished colours and a Bespoke Colour matching service.
- Large stocks are held of unfinished Engineered Oak which can be Factory Finished in the UK with Oils or Lacquer to order including:
- Planks from 14 x 189 to 20 x 300mm in Rustic and Prime Grades and Herringbone/Chevron Blocks.
- Surface options include: Heat treating , Smoking, Distressing, Cross sawn and Brushing.

Natural beauty and lasting durability. The enduring appeal of hardwood flooring is in its timeless look and the value it adds to your home. We offer the most choices in styles, finishes, and installation options to fit your taste, lifestyle, and budget.

Hardwood flooring is beautiful in its own right. The richness and character of natural wood grain enhances just about every decor and design style. These floors are an investment.

Colour Example – Heat Treated Oak ABC 4mm x 20 x 180 x 1860mm:



Bespoke 32

Bespoke Flooring – Shades Collection




GF145



GF196



GF200



GF203



GF218



GF226



GF233



GF243



GF244


Bespoke Flooring



Bespoke 7



Bespoke 14




Bespoke 20



Bespoke 35



Bespoke 37



Bespoke 49



Bespoke 58



Bespoke 59



Through Smoked Natural Oiled


Bespoke Flooring




Dark Smoked, Natural Oiled




Light Smoked, Natural Oiled




Natural Oiled



Ebony



Oak Antique



Walnut




Heat Treated Bronze



Heat Treated Copper



Heat Treated Silver



Mahogany



Dark Smoked, White Oiled



Bespoke 32

Premium NYC Designers' Collection


Engineered Multiply 15/4 x 190 x 1900 mm. All in Premium Hard Wax Oiled pack size 2.888 m²/pallet size 115.52 m²




NYC01 - Natural



NYC02 - Manhattan




NYC03 - Reaction Coast Grey




NYC04 - Nassau




NYC05 - Brooklyn




NYC06 - Reaction Carbon fibre



NYC07 - White Plain




NYC08 - Bronx



NYC09 - Putnam



NYC10 - Mississippi



NYC11 - Cape code



NYC12 - Reaction Grey Putnam

Product Code	Description	Bevel	Joint	Pack Size
NYC 01 Natural NYC 02 Manhattan NYC 03 Reaction Grey	AB Select Grade	4V	TG	2.888 SQ M
NYC 04 Nassau NYC 05 Brooklyn NYC 06 Reaction Carbon NYC 07 White Plain	Classic	4V	TG	2.888 SQ M
NYC 08 Bronx NYC 09 Putnam NYC 10 Mississippi NYC 11 Cape Cod NYC 12 Reaction Putnam	Antique Distressed	4V	TG	2.888 SQ M
15/4 X 190 X 1900mm				



IDEAL FOR RESIDENTIAL AND COMMERCIAL PROJECTS

A 30-year residential and 5-year commercial warranty, extremely durable, the highest Utilization Class 34, AC6+ rating, dust and dirt repellent, maximum plank stability with low expansion and Top Clic locking system.

IDEAL FOR DO-IT-YOURSELFERS

Top Clic for fast, simple and secure installation. Easily cut to length with a carpet knife.

IDEAL FOR KITCHENS, BATHS AND VESTIBULES

100% waterproof, A.B.C. Anti-Bacterial Coating, impressive walking and impact sound insulation, high load bearing capacity, larger than life visuals, bevelled edges, authentic surface texture.

IDEAL FOR RENOVATIONS

The low height (5mm) means that doors do not need to be shortened. Underlayment is unnecessary and underlying tiles do not telegraph through.

Krono Xonic 5mm Range

Product Code	Description	Bevel	Joint	Pack Size
723190015L	1 Strip 5x192x1280mm Krono Xonic - Columbus	4 V	Top Clic	2.21 m ²
723190007L	1 Strip 5x192x1280mm Krono Xonic - Goldrush	4 V	Top Clic	2.21 m ²
723190005L	1 Strip 5x192x1280mm Krono Xonic - White Water	4 V	Top Clic	2.21 m ²
723190003L	1 Strip 5x192x1280mm Krono Xonic - Eclipse	4 V	Top Clic	2.21 m ²
723190022L	1 Strip 5x192x1280mm Krono Xonic - Long Beach	4 V	Top Clic	2.21 m ²
723190001L	1 Strip 5x192x1280mm Krono Xonic - Sundance	4 V	Top Clic	2.21 m ²
723190011L	1 Strip 5x192x1280mm Krono Xonic - Sandstorm	4 V	Top Clic	2.21 m ²
723190019L	1 Strip 5x192x1280mm Krono Xonic - Ocean Drive	4 V	Top Clic	2.21 m ²
723190009L	1 Strip 5x192x1280mm Krono Xonic - Patriot	4 V	Top Clic	2.21 m ²



5x192x1280mm Krono Xonic – Columbus
723190015L



5x192x1280mm Krono Xonic - Goldrush
723190007L



5x192x1280mm Krono Xonic – White Water
723190005L



5x192x1280mm Krono Xonic - Eclipse
723190003L



5x192x1280mm Krono Xonic – Long Beach
723190022L



5x192x1280mm Krono Xonic – Sundance
723190001L



5x192x1280mm Krono Xonic – Sandstorm
723190011L



5x192x1280mm Krono Xonic – Ocean Drive
723190019L



5x192x1280mm Krono Xonic – Patriot
723190009L

Luxury Vinyl Click Planks



Columbian Oak 236L



Coloumbian Oak 939M



Lime Oak 954D



Toulon Oak 999D




Toulon Oak 236L




Toulon Oak 293M



Lime Oak 623M



Toulon Oak 936L



Columbian Oak 236

Berryalloc Planks LVT

Product Code	Description	Bevel	Joint	Pack Size
236L	Columbian Oak	Microbevelled All Sides	Click	2.164 sq m
939M	Columbian Oak			
623M	Lime Oak			
954D	Lime Oak			
999D	Toulon Oak			
236L	Toulon Oak			
293M	Toulon Oak			
936L	Toulon Oak			
109S	Toulon Oak			
619L	Toulon Oak			
5/0.55 x 204 x 1326MM				

IDEAL FOR BATHROOMS AND KITCHENS

Our Luxury Vinyl Click can stand up to wet and dirty shoe or children who turn your bathroom into a swimming pool. These boards are fully waterproof from top to bottom. All our luxury vinyl floors are hygienic, easy to clean, stain resistant; thanks to the PU Coating we apply.

WARM TO THE TOUCH

Our boards are comfort in its purest form. They feel warm to the touch and comfortable to walk on. Our Luxury Vinyl Plank has excellent heat conduction, which makes it an ideal match for underfloor heating.

Quiet to Walk On

Noise reduction properties are up to 50% better than most other LVT floors due to the unique construction of

the surface of our tile, which absorbs sound to the maximum. It produces a muted sound when walked upon. This in turn reduces the noise to the rooms below.

Four Sided Click Locking System

With a lock strength of 500kg is both super strong and means that installation is quickly and efficiently achieved. Super easy to fit.

Little or No Subfloor

Preparation Required You can install our Luxury Vinyl Click Planks directly onto any existing tiled floor without fear of telegraphing through the tile joints. Almost any subfloor will do. You need little equipment and installation is dust free.

Developer's Choice ENGINEERED OAK

Product Code	Description	Bevel	Joint	Pack Size
OE1451	Classic Oak UV Lacquered	Microbevelled	T&G	2.64 SQ M
14/3 x 150Mm x Random Lengths				

Developer's Choice ENGINEERED OAK

Product Code	Description	Bevel	Joint	Pack Size
OE14991Y	Engineered Oak UV Lacquered	Microbevelled	T&G	2.888 SQ M
14/3 x 190MM x 1900mm				

Black Walnut Flooring



American Walnut engraved

- Real American Black Walnut.
- Character Grade showing the natural beauty and distinctive grain and Colour.
- Prefinished in Satin Lacquer for ease of maintenance.
- Suitable for Underfloor Heating- Subject to correct fitting and Running Procedures being followed.

Product Range

Product Code	Description	Bevel	Joint	Pack Size
723160050L	1 Strip 3mm x 14x150x(400-1500)mm American Black Walnut ABCD Varnished	4 V	T+G	1.71 m ²
723160075L	1 Strip 6mm x 21x189x1860mm American Black Walnut ABCD Lacquered	4 V	T+G	1.406 m ²

Flooring Care Guide

Your Woodshaq Floor will add warmth and beauty to your home for many years to come. Following a few simple maintenance steps, will help protect your investment and keep your Woodshaq floor like new

CLEANING

- Use a damp cloth to blot up spills and spots as soon as they happen. For tough spots such as oil, paint, markers, lipstick, ink, tar or cigarette marks, use acetone/nail polish remover then wipe with a damp cloth. Always avoid allowing liquids to stand on your floor.
- Regularly vacuum, (using the hard floor attachment not the beater bar), dust mop or sweep the floor to prevent sand or abrasive dust from accumulating and scratching the finish.
- Periodically clean the floor with Woodshaq or approved hardwood floor cleaner, which are specially formulated for the finish.
- Do not use oil based, wax, polish, or strong ammoniated or abrasive cleaners, steel wool or scouring powder to clean the floor.
- Do not wash or wet-mop the floor with soap, water, oil soap detergent or any other liquid cleaning material. This could cause swelling warping, delaminating and joint-line separation, and void the warranty.

PROTECTING

- Use quality area rugs and doormats by outdoor entrance areas to prevent dirt, sand, grit and other substances such as oil, asphalt or driveway sealer from being tracked onto your floor.
- Sweep, dust or vacuum the floor regularly to prevent accumulation of dirt or grit that can scratch or dull the floor finish.
- Use floor protectors and wide bearing leg bases/rollers to minimize indentations and scratches from heavy objects. As a rule of thumb, the heavier the object, the wider the floor protector should be.
- Do not use rubber or foam backed plastic mats as they may discolour the floor. To prevent slippage use an approved vinyl rug underlayment.
- Maintain a normal indoor relative humidity level between 40% and 55% throughout the year, to minimize the natural expansion and contraction of wood. Failure to provide adequate relative humidity in the home by the use of a humidifier or a dehumidifier will void the warranty.
- Avoid gouges or cuts in your floor from sharp objects. While your Woodshaq floor is one of the most wear resistant floors on the market, sharp or pointed objects can nevertheless damage it.
- Don't walk on your floor with stiletto-style heels, spiked golf shoes or cleats; they may cause indentations in your floor.
- Rearrange area rugs and furniture periodically so the floor ages evenly. UV sunlight will soften or darken the tone of different species of hardwood to varying degrees.
- Use a dolly when moving heavy furniture or appliances. But first, put down a sheet of quarter inch plywood or Masonite to protect the floor. Never try to slide or roll heavy objects across the floor.
- Keep pet's nails trimmed, or consider "booties" available at pet stores.

A modern office interior featuring a large window with horizontal blinds, a desk with a chair, and a coffee table with a vase of yellow flowers. The room has light-colored wood flooring and a bookshelf in the background.

Woodshaq Studio
Unit 7, Quarry Farm Business Centre
Bodiam, East Sussex TN32 5RA
Tel: 01580 831829
Email: info@woodshaqstudio.com

Willow Tiles Ltd t/as Woodshaq Studio